

Location: US 280
Section: 9

Pavement Preservation Treatment: MicroSurface with Fibers

Section Information:

Placement Date: 8/28/2015
Emulsion/Tack Material: CSS-1HP
Target Emulsion Rate (gal/SY): N/A
Calibrated Emulsion Rate (gal/SY): N/A
Average Verified Emulsion Rate (gal/SY): N/A
Aggregate Type: Capitol Agg Sandstone
Target Chip Rate (lb/SY): N/A
Verified Chip Rates (lb/SY): Found Below
Milled Depth: N/A

Left-Wheel Path:

Placement Date: 8/28/2015
Emulsion/Tack Material: CSS-1HP
Target Emulsion Rate (gal/SY): N/A
Calibrated Emulsion Rate (gal/SY): N/A
Verified Emulsion Rate (gal/SY): N/A
Aggregate Type: Capitol Agg Sandstone
Target Chip Rate (lb/SY): N/A
Verified Chip Rate (lb/SY): N/A

Between-Wheel Paths:

Placement Date: 8/28/2015
Emulsion/Tack Material: CSS-1HP
Target Emulsion Rate (gal/SY): N/A
Calibrated Emulsion Rate (gal/SY): N/A
Verified Emulsion Rate (gal/SY): N/A
Aggregate Type: Capitol Agg Sandstone
Target Chip Rate (lb/SY): N/A
Verified Chip Rate (lb/SY): N/A

Right-Wheel Path:

Placement Date: 8/28/2015
Emulsion/Tack Material: CSS-1HP
Target Emulsion Rate (gal/SY): N/A
Calibrated Emulsion Rate (gal/SY): N/A
Verified Emulsion Rate (gal/SY): N/A
Aggregate Type: Capitol Agg Sandstone
Target Chip Rate (lb/SY): N/A
Verified Chip Rate (lb/SY): N/A

Microsurface Information:

Placement Date: 8/28/2015
Target Microsurface Rate (lb/SY): 25
Verified Microsurface Rate (lb/SY): 24.6

General Notes: